KEEP YOUR CLUNKER IN THE SUBURB:

LOW EMISSION ZONES AND ADOPTION OF GREEN VEHICLES*

Hendrik Wolff

Abstract

Spatial distribution and leakage effects are of policy concern and increasingly discussed in the economics literature. We study Europe's most aggressive recent air pollution regulation: Low Emission Zones are areas in which vehicular access is allowed only to vehicles that emit low levels of PM_{10} . Using new administrative datasets from Germany, we assess the effect of LEZs on air pollution and the spatial substitution effects in green versus dirty vehicles. Back of the envelope calculations suggest that health benefits of roughly two billion dollars have come at a cost of 1 billion dollars for upgrading the fleet of vehicles.

When citing this article, please use the following:

Wolff, H. (*forthcoming*) "Keep Your Clunker in the Suburb: Low Emission Zones and Adoption of Green Vehicles", *Economic Journal*. Doi: 10.1111/ecoj.12091

*Corresponding Author: Hendrik Wolff, University of Washington, Department of Economics, 349 Savery Hall, Box 353330, Seattle, WA 98195-3330, hgwolff@u.washington.edu. I like to thank Maximilian Auffhammer, Maureen Cropper, Lucas Davis, Sumeet Gulati, Shanjun Li, Paulina Oliva, Lisa Perry and Elaina Rose for helpful discussions. The paper especially benefited from very detailed comments and suggestions by two anonymous referees and the editor. We further like to thank the Umweltbundesamt of Germany to providing the air pollution data and the Kraftfahrtbundesamt of Germany for help discussing the vehicle emission categories. I am grateful for the research grant provided by the Royalty Research Fund of the University of Washington. All remaining errors are mine.

Recently, increased public health concerns have elevated the role of clean air policies. In particular, focus is on PM_{10} —the class of particulate matter smaller than 10 micrometers—a major air pollutant from vehicle emissions. Because PM_{10} can enter the lungs and bloodstream, it is often considered the most lethal air pollutant. In the European Union alone, PM_{10} is estimated to cause 348,000 premature deaths annually. To put this into context, ozone—Europe's second most deadly air pollutant—only causes about 21,000 premature deaths (Watkiss *et al.* 2005).

In response to these health risks, the European Commission¹ enacted the 2005 Clean Air Directive, which marks an unprecedented attempt to mandate low levels of PM_{10} . When cities violate the maximum allowable limits, mayors and local governments have to develop so-called *clean air action plans*. While these action plans can consist of various traffic measures, the most drastic has been the Low Emission Zone (LEZ), which defines an area where higher-polluting vehicles are completely banned from driving (Wolff and Perry 2010).

Using new administrative datasets from Germany, this paper assesses the distribution of air pollution and the spatial substitution effects in green versus dirty vehicles. We find that LEZs decrease PM₁₀ by nine % while rejecting the hypotheses that dirty vehicles contribute to higher pollution levels by increasingly driving longer routes outside of the LEZ. Moreover, we find that non-attainment cities that decided not to include an LEZ but engaged in other methods (building ring roads, enhancing public transportation), experience no decrease in pollution.

In Germany, to deal with the large number of cities exceeding the EU threshold, the government has categorized vehicles into four mutually exclusive classes of PM_{10} emissions. All 46 million German cars, buses and trucks are required to display a coloured windshield sticker indicating its PM_{10} pollution class. As of 2010, 41 German cities have implemented LEZs banning vehicles based on the colours of these stickers. These zones have been controversial, however, because of the costs imposed on drivers and

¹ The European Commission is the executive body of the European Union (EU). It proposes, implements, and enforces EU legislation for all of its twenty seven current member states.

especially truck companies, for whom upgrading fleets to the appropriate sticker can be quite expensive.² According to a recent online survey, over 91 % of Germans disapprove of LEZs, considering them too bureaucratic with likely having little effect (DSM 2009). In an earlier survey, 70 % of drivers stated they might drive around LEZs to avoid upgrading their vehicle (Vienken 2008). Despite these criticisms, LEZs have become a popular quick fix for local governments struggling to avoid the large financial penalties imposed for exceeding the EU limits. For example, a recently announced penalty for the city of Leipzig is 700,000 Euro per day, or 1,050,000 U.S. Dollar (USD) per day, because of non-attainment with the EU clean air regulation.

Germany is not alone in limiting vehicle use. Driving restrictions have been used for decades in some of the world's most polluted cities. In 1989 Mexico City introduced the Hoy No Circula (HNC) policy which prohibits driving between 5am and 10pm one weekday per week based on the last digit of one's license plate.³ Other forms of driving restrictions include partial and total bans (Italy, Athens, Amsterdam, Barcelona, and Tokyo); traffic cell architecture, such that vehicles can drive within cells but must take circumferential ring roads between cells (Goddard 1997, Vuchic 1999); traffic bans on days when air pollution exceeds certain thresholds (Milan and other Italian cities); and emissions fees combined with LEZ (in Greater London's LEZ, larger vans and lorries pay a daily PM₁₀ emission charge of 250 to 500 British pounds (392 USD to 784 USD) if they do not meet the Euro IV PM₁₀ standard⁴). Uncertainty about the

² Conversion to the next higher sticker costs 800 to 2,500 USD for passenger cars and 7,000 to 22,000 USD for larger vehicles and trucks, although conversion is technologically infeasible for some vehicles. Major newspapers' headlines noted '*Particulate Matter: The insanity of LEZs*' (Bild 2009), or '*Driving Ban in LEZs: Much Dust for Nothing*' (Süddeutsche 2009).

³ Similar license plate programs have been implemented in Athens (1982), Bogota (1998), Santiago (1986) and São Paolo (1997), San Jose (2005), La Paz (2003), all of Honduras (2008), and Beijing (2008).

⁴ In 2008, the Greater London Authority established one of the largest current LEZs in Europe, which roughly includes the area within the ring highway M25 that encircles Greater London. It restricts the most polluting vehicles according to the PM_{10} standard of the Euro IV norm, including buses, coaches, vans, utility vehicles, minibuses of weight 1.205 tones and more and diesel-engined heavy goods vehicles. This LEZ is different from London's Congestion Charging Zone of eight pounds per day which operates on workdays during daytime only in London's Center District (Leape 2006, TFL 2008).

effectiveness, however, creates difficulties to make informative decisions among policy options and to gain public support by policy makers. As a result, often choices seem ad hoc and regionally clustered.⁵

Despite the widespread use of driving restrictions, the related empirical literature is sparse. In a recent study, Davis (2008) analyses the effect of Mexico City's HNC policy on air quality. While he finds no change in weekday pollution levels, pollution actually increased on weekends and weekday late nights as drivers substituted towards driving when the HNC was not in effect. Davis shows this ineffectiveness is due to a surprising behavioural response: drivers circumvented the restriction by buying older, more polluting second cars to have different license plates.⁶ Davis finds that the HNC is a high-cost solution— with social costs exceeding 300 million USD per year—given its negligible effect on air quality. While the counterproductive results in Mexico City were due to the particular design of the HNC,⁷ the German LEZ program may be more successful because it includes a differentiation by emission level, creating an incentive to adopt cleaner technologies.⁸ However, whether LEZs are effective is an empirical question.

This study is related to the growing literature on estimating the costs of air pollution and its regulations (Dockery *et al.* 1993, Pope *et al.* 1995, Chay and Greenstone 2003 and 2005, Davis 2008). Our work adds to this literature presenting the first empirical paper on traffic restrictions which examines both the within-city and across city effects on pollution outcomes as well as the spatial substitution effects of the LEZ regulation on the adoption of abatement technology. To this end, the first task of this paper is to

⁵ Low Emission Zones (LEZs) are particularly popular in Europe, license plate programs implemented in Latin America and congestion charging mostly considered in northern Europe and major Asian urban centers. Instead, price-based policies that aim to limit congestion and emissions include road pricing and congestion fees. Singapore (1975), London (2003) and Stockholm (2006) charge fees to drive into the city center. While New York City's congestion fee stalled in the legislature, San Francisco is currently debating a six dollar fee to drive through downtown. Milan has combined congestion pricing and LEZs with its Ecopass program, which charges fees to drive downtown based on emissions-level. Despite the increase in price-based policies, command and control driving restrictions are still adopted. These latter policies are argued to be often easier to implement politically, technologically feasible, and relatively less expensive to enforce (Levinson and Shetty, 1992; Davis, 2008).

⁶ Drivers also took more taxis, which were among the most polluting cars in Mexico when the HNC was enacted.

⁷ Meanwhile the HNC has been modified to include an exhaust monitoring program (Verifcación). Each car is affixed with a sticker indicating its class of emission and the cleanest cars are exempt from the HNC restrictions.

⁸ Small and Kazimi (1995) find heavy-duty diesel trucks have social costs per mile ten times higher than gasoline vehicles. Also Roson and Small (1998) find evidence that a small percentage of high-emission vehicles contribute the bulk of pollution and conclude that policies targeting dirty vehicles may be the best way to decrease emissions.

estimate the causal effect of LEZs on PM_{10} levels using panel data of daily pollutions and weather conditions across Germany from 2005 through 2008. Both the pre-regulation pollution levels and the staggered nature of LEZ implementations produce rich identification for our estimation of the zones' treatment effects.

One argument for the four-tier PM_{10} categorization is that it promotes a more rapid adoption of clean technologies since even vehicle owners who do not typically drive into an LEZ may want to keep the option value of free passage. To evaluate this, next this paper studies changes in the composition of the vehicle fleet. Using a unique administrative panel dataset of emission category and registration location of each vehicle from 2008 to 2010, we analyse the spatial substitution in vehicles' emission categories attributable to LEZs.

We find that the 'average' LEZ significantly decreases PM_{10} around nine % in traffic areas ranging from an insignificant zero for smaller LEZs like Tübingen to a significant minus 15% in the case of the most populated LEZ of Berlin, inhabited by 1.1 million people. The decrease in PM_{10} is larger for traffic stations inside the LEZs than those outside, although PM_{10} does not decrease at all in background areas away from major roads. This shows that cities target pollution-reducing strategies at those traffic areas which are responsible for violating the PM_{10} limits. Recently several papers (Fowlie 2010, Auffhammer and Kellogg 2010) have shown that spatial (unintended) consequences can substantially change cost-benefit calculations of regulations on firms. In terms of individual choices, Graff Zivin and Neidell (2009) and Moretti and Neidell (2010) discuss settings in which the total welfare cost of air pollution is much larger due to avoidance behaviour. LEZs may also cause unintended consequences. We reject the widespread concern that dirty vehicles contribute to higher pollution by increasingly driving longer routes outside of the LEZ.

In terms of the spatial capital substitution, we find that drivers substantially increase the adoption of low emission vehicles the closer they live to an LEZ. In particular, the green commercially used vehicles, that presumably depend more on access to city centers, increased sharply by 88%. Privately used green vehicles increased by about 5%. Still, this represents a substantial shift in the spatial vehicle fleet composition due to the clean air regulation. Overall, back of the envelope calculations suggest that the health benefits of nearly two billion dollars have come at a cost of just over 1 billion dollars for upgrading the fleet of vehicles.

Finally, this paper directly contributes to the EU policy debate of the design and choices of air pollution regulations. We find that all non-attainment cities that decided to not include an LEZ but engaged in other methods (building ring roads, enhancing public transportation), experience no statistical significant decrease in air pollution.

This papers proceeds as follows. Section two details the PM_{10} regulation and the implementation of LEZs. We describe our data in section three and discuss the empirical strategy in section four. Section five presents econometric results of the causal impact of LEZs on PM_{10} levels and discusses the spatial substitution effects of high to low emission vehicles. Section six combines these results in cost-benefit analysis and we conclude in section seven.

1. Background

1.1. Air Pollution Regulation in Europe

Motor vehicle emission is the primary source of ambient PM_{10} in urban areas,⁹ although, share of vehicle based PM_{10} can range widely both over time and spatially. We surveyed all recent studies investigating the sources of PM_{10} in Europe (see Table A1 of Appendix A). The main contributing factors are vehicle exhaust, resuspension of dust particles (caused by automobiles and by natural phenomena), combustion by industry and individuals, and other natural sources such as marine aerosol and pollen (Viana *et al.*, 2008). In particular, for *traffic* stations measuring PM_{10} in close proximity to roads, the share of

⁹ Road transport is also largely responsible for all NO_X , CO, benzene and black smoke emissions. While these toxins are regulated, threshold violations and health impacts are substantially higher for PM_{10} .

vehicle exhaust is estimated to range from 25% to 55%. In contrast, for urban *background* stations the percentage of observed PM_{10} that is attributed to vehicle emissions is only 8% to 23%.

In response to concerns about the health effects of PM_{10} , ¹⁰ the EU Clean Air Directives¹¹ introduced in 2005 EU-wide limits on ambient PM_{10} such that: (a) the daily average does not exceed $50\mu g/m^3$ on more than 35 days annually and (b) the yearly average does not exceed $40\mu g/m^3$. When any air pollution station exceeds the EU PM_{10} limit, the city is asked to develop a *clean air action plan*. In the beginning years of the EU regulation, often cities did not comply with the timely delivery of their action plans and the enforcement was lax. As a result, 70 % of EU cities greater than population 250,000 had violated the limits at some point and, as shown in Table 1, the 35-day limit has caused violations in 81 German cities.¹² As a consequence, in order to better enforce the legislation, the European Commission asked the European Court of Justice to impose financial penalties (Council Directive 2008/50/EC), such as the recently announced 700,000 Euro per day (1,000,500 USD per day) penalty on Leipzig for repeatedly violating the 35-day limit rule. The formula for the daily penalty payments is described in Wolff and Perry (2010). Further, in January 2009, the Europe Commission initiated infringement proceedings against 10 EU countries that have not attained the PM₁₀ limit. Moreover, EU citizens are entitled by law to demand action plans from local authorities.

Under Council Directive 1999/30/EC, a second phase of the PM_{10} policy was scheduled to begin on January 1, 2010. In this phase, the thresholds were to have been drastically tightened to a yearly average of $20\mu g/m^3$ and a maximum of seven days exceeding $50\mu g/m^3$. These limits would have been very difficult for many European cities to meet; for example, we estimate that 285 German cities would have violated the

 $^{^{10}}$ PM₁₀ has long been linked to serious cardiopulmonary diseases, acute respiratory infection, trachea, bronchus and lung cancers (EPA 2004). Worldwide, about 6.4 million years of healthy life are lost due to long-term exposure to ambient PM₁₀ (Cohen *et al.* 2005).

¹¹ EU Clean Air Directives refers to a set of Council Directives including 1996/62/EC, 1999/30/EC and 2008/50/EC.

 $^{^{12}}$ No German city violated the $40\mu g/m^3$ annual limit that did not also violate the exceedance day limit.

2010 limits based on 2005-2008 emissions.¹³ In response, in 2008 the EU passed Council Directive 2008/50/EC, which abolished the second phase of the PM_{10} policy, continuing the 2005 limits instead. While there is currently no indication that the 2010 limits will be reinstated, the prior threat of facing these limits were important in driving the widespread adoption of LEZs.

1.2. Low Emission Zones in Germany

Given the primacy of vehicle-based PM₁₀, clean air action plans (AP) try to curtail emissions through

- (i) expanding public transportation
- (ii) utilizing ring roads
- (iii) improving traffic flow
- (iv) the implementation of an LEZ.

The fourth option, implementing an LEZ, has emerged as the most drastic and controversial element of the action plans. The LEZs mostly cover city centers, but vary considerably in size. In Berlin, for example, the LEZ covers 88 square kilometers (km²), populated by 1.1 million people. Munich's LEZ covers 44 km² with 431,000 inhabitants and Frankfurt's LEZ spans 110 km². The largest LEZ in Stuttgart covers 207 km² with 590,000 inhabitants (see map of Figure B1 of Appendix B), while the nearby smaller LEZ in Illsfeld is only 2.5 km² with 4,000 inhabitants. Figure 1 shows a map of current and planned LEZs and Appendix Table B1 and Table B2 list their characteristics.

Each German vehicle—as well as each visiting foreigner—that wants to enter an LEZ must display a coloured windshield sticker based on EU-wide emissions categories. There are four PM_{10} classes for diesel vehicles. The highest emitting vehicles obtain no sticker (and hence cannot enter any LEZ), while red, yellow and green stickers are given to progressively "cleaner" vehicles, as shown in Table 2. There are two classes for gasoline vehicles, green and no sticker. In some cases vehicles can improve one class by retrofitting the engine or diesel particulate filter.

¹³ Even the national average in each year since 2005 violates both the 2010 exceedance day and annual average limits, as shown in Table 1.

The fine for illegally entering an LEZ is 40 Euros plus one driver's license penalty point.¹⁴ There are exceptions that allow certain emergency and other work-related vehicles to enter LEZs without a sticker, including agricultural and forestry tractors; ambulances and doctor's cars; vehicles driven by or carrying persons with serious mobility impairments; and police, fire brigades, Bundeswehr and NATO vehicles.

The implementation date and the types of vehicles restricted by an LEZ vary across cities, as shown in Table 3. In Berlin, for example, all vehicles with a red sticker and "cleaner" (yellow and green) were allowed into the LEZ starting January 2008, while access has been further restricted to only green stickers since January 1, 2010. The LEZ of Dortmund (Brackler Strasse), on the other hand, has only permitted yellow and green sticker vehicles since January 2008. By 2012 more than 50 % of all LEZ cities will allow only yellow sticker and cleaner vehicles, and by 2013 most of the LEZs will permit green sticker vehicles only. Of the 23 LEZs implemented in 2008, four began in January, eight in March, one in July and the rest in October.

We categorize cities into various treatment groups based on this variation in implementation date and action plan components. Figure 2 illustrates the classifications. First, we divide stations into 2 categories, 'attainment cities' (in Figure 2 abbreviated as AC) that do not violate the PM₁₀ limit (and thus do not need to develop an action plan) and 'non-attainment cities' that must develop an action plan (AP). Next, we divide the non-attainment cities into 'action plan only' (APO) cities, whose action plan do not include an LEZ, and 'LEZ cities' (LEZ). Finally, we also separate out APO cities that include a 'future LEZ,' instituted in or after October 2008 (FLEZ).¹⁵

¹⁴ There is a series of consequences for penalty points, ending with loss of driver's license at 18 points.

¹⁵ There are some cities that have discussed implementing an LEZ but have not finalized a plan for doing so. We do not include these as FUTURE LEZ cities since a) it is unclear how serious these cities are about implementing an LEZ and b) these cities have PM_{10} levels closer to APO cities than FLEZ cities.

2. Data

We collect a panel of air quality readings from January 2005 through October 2008 from the German Federal Environment Agency, the Umweltbundesamt (UBA). This data set includes a combination of half-hourly, hourly or daily readings of PM_{10} for 554 stations in 388 cities. Stations are characterized by the UBA as being *traffic* stations, located on main arterial roads, or *background* stations, usually located in more residential and green areas such as public parks or at soccer fields. Using the coordinates for each station, we classify all stations as 'inside' or 'outside' of an LEZ.

Figure 3 displays how PM_{10} levels have evolved since 2005. The way in which PM_{10} levels drastically vary over time over the range from below $20\mu g/m^3$ to over $100\mu g/m^3$ underscores the difficulty modelling PM_{10} data; some of the variation is dependent on local weather conditions such as temperature, wind speed, rain and mixing layer height (Klinger and Sahn, 2008). To control for these factors, we collect the most detailed possible weather data available from the national weather service, Deutscher Wetterdienst. We obtain hourly weather readings for 34 stations and daily reading for 74 stations. Because the air quality and weather monitoring stations are not in the same location, we use geographic coordinates to match each air quality station with the closest weather station. We only use the PM_{10} readings from stations that have a weather station within 50 kilometers in distance and 300 meters in altitude. The primary weather variables are summarized in Table 4. After calculating daily weather and PM_{10} readings while handling missing values¹⁶, we end up with complete PM_{10} and matched weather data for 185 stations covering 122 cities.

¹⁶ To calculate PM10 daily averages, we first linearly impute the missing hourly readings throughout the day. Once we have daily averages, we interpolate the missing daily averages for the 1.4 % of days with no readings. Among those stations reporting half-hourly and hourly data, less than seven % of days are missing observations for some hours, with over 70 % of these being three hours or less. To make sure our results are not driven by changes in monitoring station composition, we restrict our analysis to stations that have "complete readings" for all of the years included in each analysis. We define a station as having "complete data" for 2005 to 2007 if there is data for at least 340 of the 365 days of the year. Since we only have data through October of 2008, a station has "complete data" for 2008 if there is data for 280 of the 305 possible days. Finally, on Google Maps, we studied the locations of all our stations in LEZ cities. This analysis led us to drop one station in Mannheim and one station in Berlin that were at rail yards, as both of these readings are presumably mostly picking up train emissions.

Moreover, PM₁₀ levels can highly depend on locational and temporal events. PM₁₀ levels in our data often rise suddenly by several hundred %, which could be attributable to activities such as open coal-fired barbeques or construction sites. While we cannot collect information on all particular events, we do aim to control for temporal changes as carefully as possible. First, we include as covariates all information on state-level specific school vacation and legal holidays, both obtained from Johannsen (2009). Second, we exclude New Years Eve and Day to avoid outliers caused by fireworks. We further control for the day of the week and we include flexible state-specific weather models. As long as confounding events are correlated with these variables and uncorrelated with the LEZ treatment, our results should be unaffected. Finally, we include city-level 2006 population data from the Federal Statistical Office Germany Genesis database.¹⁷

3. Empirical Identification Strategy

3.1. Difference-in-Differences Approach

To study the effect of LEZs on air quality we use difference-in-differences (see Meyer 1995; Bertrand *et al.* 2004) in which we compare LEZ cities to a set of control cities. This approach calculates the difference between how much PM_{10} changes after adoption of LEZs in LEZ cities and how much PM_{10} changes over the same time frame in control cities. This allows us to control both for underlying differences between LEZ and control cities and temporal changes in PM_{10} levels common across all cities. We estimate Equation (1), where *k* indexes city, *i* indexes station and *t* indexes time

(1) $\ln(y_{k,i,t}) = \alpha + \beta_1 postLEZ_t + \beta_2 LEZ_k + \beta_3 treatLEZ_{k,t} + \Psi X_{k,i,t} + v_{k,i,t}$

Our main parameter of interest, β_3 , measures the percentage by which the LEZ affects PM₁₀. The dependent variable, $y_{k,i,t}$, is the average daily PM₁₀ reading for each station. *LEZ_k* is an indicator variable

¹⁷ In the German Genesis population file, the variable of population per city contains a number of missing observations in particular for small cities. We collected the missing population estimates by various internet searches.

for whether a city has an LEZ and $postLEZ_t$ is an indicator for time periods after implementation of an action plan. $TreatLEZ_{k,t} = LEZ_k * postLEZ_t$ is an indicator variable that equals one for non-attainment cities after implementing an LEZ. $X_{k,i,t}$ includes station-, city- and time-specific covariates including weather variables, ¹⁸ school vacation, holiday and day of the week indicator variables. Because the specific locational conditions of air quality stations have a large impact on pollution readings, $X_{k,i,t}$ includes station fixed-effects in all models and we analyse background and traffic stations separately. $X_{k,i,t}$ also include year-month fixed effects to control for any time trends or any other climatic effect that our weather model does not capture. Identification comes from the assumption that, after controlling for changes in these observables, PM₁₀ levels would have evolved in the same way in treatment and control cities in the absence of an LEZ. Finally, in all analyses, we cluster standard errors by city to correct for serial correlation over time as well as spatial correlation across stations within a city (Bertrand *et al.* 2004).¹⁹

Clearly LEZs may not be the only driver of the observed changes in PM_{10} . Local governments in nonattainment areas can choose including other measures in their clean air action plans. To investigate the mechanisms driving PM_{10} reductions, first we compare PM_{10} in all AP cities to those of the attainment control (AC) cities. Next, to differentiate the effects of action plans with and without LEZs, we test the treatment of having an action plan only (APO) and having a future LEZ (FLEZ). We use Equation 1 to estimate these three treatments, replacing *LEZ* with *AP*, *APO* and *FLEZ*, respectively.

¹⁸ Weather variables include daily values of mean temperature, mean temperature squared, maximum daily temperature, 1-day lag mean temperature and maximum temperature, mean relative humidity, mean relative humidity squared, 1-day lag mean relative humidity, mean wind velocity interacted with whether it rained that day, maximum daily wind velocity, 1-day lag mean wind velocity, mean visibility, total precipitation, total precipitation squared, days without precipitation, mean temperature interacted with mean relative humidity, mean air pressure, 1-day lag mean air pressure. For regressions spanning multiple states, weather variables are interacted by state to control for the variation in climate across Germany.

¹⁹ As a robustness test, we also have clustered by state, city-week and state-week and we found standard errors to be similar. Results are available upon request.

In our analyses, we follow two different identification strategies to estimate these treatment effects. The first relies on matching cities based on pollution levels in the year 2005, and the second relies on matching cities based on location by comparing LEZ to FLEZ cities. These strategies are described next.

3.2. Matching Cities based on 2005 PM₁₀

Our first identification relies on matching treatment and control cities based on similar PM₁₀ levels prior to implementation of action plans. Specifically, we match cities on annual daily averages of cities' highest-polluting station in 2005. Note, instead of using the PM₁₀ average across all stations, we use the cities' highest PM₁₀ polluting station because it is this station that determines whether cities exceed the PM₁₀ threshold. We match on 2005 because this is the last year in which PM₁₀ levels were not affected by action plans or LEZs.²⁰ In order to obtain a group of cities with similar initial conditions in PM₁₀ levels, we use the 73 cities that have 2005 highest-station PM₁₀ averages in the range of 25 to 35 μ g/m³. We use the following rule for selecting our range 25 to 35 μ g/m³. First we calculated the 2005 median PM₁₀ annual average among highest-polluting-stations, which equals to 30 μ g/m³, and then we add ±5 μ g/m³ to get the range. We decided on the range of ±5 μ g/m³ to obtain a mix of attainment, non-attainment, APO, LEZ and FLEZ cities. There is only one LEZ below this range and no attainment city above the range. Table B2 of Appendix B lists all cities and their treatment status. We assume that within this group of 73 cities, the 35 exceedance day threshold (none of these cities violated the yearly average PM₁₀ standard) makes the designation of non-attainment status and subsequent development of action plans exogenous.

Of these 73 cities, 22 cities serve as our control 'attainment cities' (AC) that have never violated the PM_{10} limits and do not have an action plan. Another twenty-two cities have an action plan but no LEZ (APO). We define these cities as APO cities if the first violation occurred in 2005 or in 2006. If the violation occurred instead in 2007 (or later), we drop the city from the analysis. This is necessary because not enough

²⁰ We acknowledge the limitation that we have no PM_{10} data prior to 2005 to detect potential pre-emptive behavior by cities to lower emissions. Note, however, below we find that all non-LEZ measures (i.e. increasing public transportation, building ring roads) do not lead to PM_{10} reductions between 2005 and 2008. This result does suggest that any potential pre-emptive non-LEZ measure was not successful in altering PM10 levels.

time has passed from the date of the violation until the end of our data (October 2008) in order to likely see an effect of the more long term action plan elements (i) to (iii). We also exclude 10 APO cities that developed an action plan despite never violating the PM_{10} limit,²¹ as these are not unambiguously control or treatment cities. We ultimately use four cities that implemented an LEZ before October 2008 (LEZ) and seven cities with LEZs scheduled to begin between 2009 and 2011 (FLEZ). Table 5 compares these different groups. Average 2005 PM_{10} levels are very similar across groups, ranging from 26.8 in attainment cities to 30.7 in APO cities. The cities only differ based on the number of exceedance days, with APO, FLEZ and LEZ cities exceeding the 50 μ g/m³ threshold on more than 35 days, and the attainment cities less than 35 days. In this sense, this first identification approach can be also interpreted in the spirit of the regression discontinuity design (RDD) on the threshold of the number of exceedance days. This RDD advantage comes at a cost, however, since there are only four LEZ cities in our treatment group. The following second approach aims to increase the number of LEZ cities.

3.3. Geographical LEZ Approach

Our second identification strategy takes advantage of the staggered introduction of LEZs, individually comparing the earliest LEZ cities to nearby cities whose LEZ has not yet come into effect (FLEZ). There are multiple advantages of looking at each LEZ separately. First, weather and geography vary considerably across Germany and this allows us to fit a separate weather model for each region. Second, it ensures results aren't driven by other state or regional policies or events. Third, this geographical approach includes all cities with LEZs (compared to the first approach that limited the analysis to cities only within the interval of 2005 PM₁₀ levels from 25 to 35 μ g/m³).²² Having more cities also allows us to analyse the heterogeneity between LEZs of different sizes. We make use of the staggered introduction of LEZs by comparing cities

²¹ Some cities preemptively implement action plans to avoid violating the limits in the future, especially considering the tightened 2010 limits. There is one city, the city of Cologne, that implemented an LEZ despite never having violated the EU PM_{10} limit. Since our focus is on LEZ, we do not drop Cologne from our main regressions and, per suggestion of the referee, analyze Cologne separately below.

²² Out of the 12 cities that implemented LEZ by March of 2008 (see Appendix B), we cannot analyze Schwäbisch Gmünd, Ilsfeld or Dortmund (Brackeler Road) because these cities have insufficient data.

that instituted LEZs before October 2008 to other non-attainment cities that decided—for one reason or another—to introduce an LEZ at a later date. While this procedure comes at the cost of not primarily matching on 2005 PM_{10} levels, we can instead match on the fact that (a) all cities plan to implement an LEZ, (b) geography and (c) city size. Identification in this section comes from the assumption that there are no systematic differences in changes in LEZ cities' PM_{10} levels based on when they implemented their LEZ beyond the effect of the LEZ.

3.4. Common Trends Assumption

One concern with our differences-in-differences framework is that differential trends in the level of the PM₁₀ between treatment and control cities can make the identification strategy invalid. Furthermore, our above strategy to use FLEZ cities (as control units) requires that the timing of the LEZ implementation is unrelated to the prior PM_{10} levels. To test for these common trends, Panel a of Table 6 regresses 2007 PM_{10} levels on date of LEZ introduction, along with the station, time, holiday and weather covariates used in all other regressions below. In our main regressions, the PM_{10} levels are taken from the year 2007, which immediately precedes the introduction of LEZs in 2008. Panel 6a shows that the coefficients on LEZ start date are small and insignificant, for both traffic and background stations. Similarly (as per suggestion of the referees), Panel 6b to Panel 6c repeat the analysis by using the years 2005 and 2006 as well as the changes in PM_{10} levels between years (Panel d). Overall, the regression results at *traffic stations* show strong support that the timing of the introduction of the LEZ is not influenced by previous pollution levels. Inconsistent with these results is column (3) of Table 6c, which shows that cities with larger 2006 PM_{10} levels at *background* stations introduce LEZs later. This result is significant at the 10% level. Note that this effect of column (3) is in the opposite direction of the concern that high polluting cities introduce LEZs earlier-not later. To summarize, overall Table 6 indicates that the prior PM₁₀ levels of a city do not predict when the LEZ is introduced. This supports our identification strategy to use FLEZ cities as control units in our Differences-in-Differences framework. Finally, Figure 3 as well as the Figures in Appendix C depict average daily PM10 levels over the entire sample period for treatment and control cities utilizing each

matching approach. These Figures visually illustrate that these groups of cities are not inherently different in terms of differential trends of PM10 levels and provides additional support to our identification strategies.

3.5. Spatial Substitution in Emission Categories of Vehicle Fleet

This analysis examines whether LEZs promote spatial adoption of cleaner vehicles and technologies. We perform this analysis using an administrative panel dataset containing data on vehicle emission categories and registration location from the German Federal Motor Transport Authority (Kraftfahrtsbundesamt Flensburg). Total number of private and commercial vehicles by emission category are observed for all districts from 2008 to 2010. We estimate Equation (2),

(2)
$$\Delta s_{icp} = \alpha_{pc} + \beta_{pc} Min\{Distance_{ij}\} + \gamma_{pc} X_i + \varepsilon_{ipc}$$

where $\Delta s_{icp} = s_{icp2010} - s_{icp20008}$ is the change in the share of vehicles with sticker colour $c = \{green, yellow, red, no sticker\}$ in county *i* of vehicle usage type $p = \{$ private, commercial $\}$. This adoption function depends on the minimum distance in kilometers of the centroid of county *i* to the set of LEZ cities *j* and X_i includes characteristics of county *i*, county income per capita, population size and state fixed effects. For each sticker colour and vehicle usage type the regression function (2) is estimated separately by OLS with robust standard errors resulting in the set of estimates of interest β_{pc} .

4. Results

This section presents our results of estimating the effect of the clean air action plan policies on air quality. The following two subsections 5.1 and 5.2 are based on the 'matching on PM_{10} in 2005' approach described in 4.2, while subsection 5.3 presents our results based on the geographical matching approach.

4.1. Effect of Non-Attainment Status

One challenge with evaluating Germanys LEZs is to disentangle the 'LEZ effect' from the other possible clean air action plan instruments enacted simultaneously. To investigate into this, first we test the overall effect of violating the PM_{10} standard by comparing cities that developed any type of action plan (AP) to attainment cities (AC). Table 7 compares PM_{10} levels in 2005, the period before being found in

non-attainment, to 2008, when cities violating the standard had at least two to three years to implement clean air action plans.²³ Columns 1 and 2 show that APs in general have not had a significant effect on PM_{10} at either stations located in high traffic areas or stations located in background areas.

This apparent non-effectiveness of APs may be driven by the heterogeneity between plans with and without LEZs. To test this, we next isolate APs from those cities that have no LEZ planned (APOs) and those who have future LEZs (FLEZ). One may expect that the APO treatment effect may be greater than the FLEZ treatment, since FLEZ cities, anticipating the planned LEZ, may not meanwhile take other (costly) steps to combat PM₁₀. Columns 3 and 4 of Table 7 show that APOs have had no significant effects on PM₁₀. Next columns 5 and 6 show the FLEZ treatment effect. Again, there are no significant changes at either traffic or background stations.

In summary, it does not appear that the APO measures of building ring roads, increasing public transportation or enhancing the traffic flow have had any influence on PM_{10} levels. Moreover, these results imply that prior to implementing their LEZs, FLEZ cities take no other effective measures to combat vehicle-based PM_{10} . Thus in the regressions to follow, we feel comfortable attributing changes in current LEZ cities' PM_{10} to the LEZ rather than other APO or FLEZ policies.

4.2. Effect of LEZs

In this section, we isolate the treatment of having LEZs as part of an action plan as specified in Equation 1. Table 8 compares the LEZs that began before October 2008 to the attainment control cities. The timing of the difference-in-differences is to compare the months in 2008 following the implementation of the LEZs, to the same months of the previous year 2007. We use April through October data, since the Mannheim, Reutlingen and Leonberg LEZs didn't take effect until March 2008 and we are allowing a one month lag for cities to adjust to the LEZs.²⁴

 $^{^{23}}$ These regressions only include January through October since we do not have PM₁₀ data for November and December 2008.

²⁴ In some of the early LEZs, like Berlin, drivers were often only given warnings and not tickets in the first few weeks after the LEZ was introduced (Climate Company, 2009).

The main result of Table 8 is that LEZs on average over all cities have lowered PM₁₀ levels by nine % (columns 1) in urban traffic areas. This main result of this paper will be tested below by using alternative identification strategies below. To investigate the situation at background stations, columns 2 and 4 show statistically insignificant increases of four to seven %. Thus the decrease in PM₁₀ along major roads within the LEZ is not being realized outside of these high-traffic areas, which shows that PM₁₀ from road traffic is a local pollutant. Note, no LEZ city violated the PM₁₀ standard because a background station exceeded the EU threshold. Hence, cities first focus on reducing emissions in those traffic areas that caused the city to violate the standard. All of the background stations in the above LEZ cities are located outside of the LEZs. This also suggests that drivers of non-conforming vehicles did not increase driving around LEZ to avoid upgrading their vehicles, but we will investigate this question further below.²⁵

One concern with our 2005 matching identification strategy is that results depend on our fixed range of 25 to 35 μ g/m³ of pre-intervention PM₁₀ emissions. In Table 9 we symmetrically increase this range to investigate how sample selection affects our results. The upper panel is based on matching on the 25-35 PM₁₀ range, corresponding to Table 8. The panels below symmetrically increase the PM₁₀ ranges to [23, 37], [21-39], [20-40] and (0, +∞) μ g/m³. As one might expect, *widening* the 2005 emission ranges attenuates regression results (hence showing reduced magnitudes and decreased significance) as the similarities in initial PM₁₀ levels decreases for the group of included treated and control cities. However, overall, the results are fairly robust. We view the strictest 25 to 35 emission range as our preferred matching strategy used in the manuscript. Before proceeding, we note that our results are robust to alternative specifications. In particular whether or not to include weather covariates, holiday or population information does not change our overall treatment effect. Details on these robustness checks are provided in Appendix D.

²⁵ We expand on the analysis of background stations in the next subsections. In Section 5.3 shows results of background stations that are located within an LEZ. In Section 5.4, we examine Berlin's LEZ (in which there are both traffic and background stations inside and outside the LEZ) which allows for explicit analysis of the hypothesis whether PM_{10} increases around LEZs due to avoidance behavior.

To investigate the heterogeneity between LEZs, Table 10 displays the treatment effects from regressing each LEZ city separately to the same set of control cities. At traffic stations, PM_{10} decreases in the range of five % in Cologne²⁶ to 13 % in Mannheim. At background stations, again, none of the treatment effects are significantly different from zero. In summary, while there is some heterogeneity, all the LEZs are associated with significant decreases in PM_{10} at traffic stations.

4.3. *Geographical LEZ results*

This subsection presents the results from our geographical identification strategy, which compares LEZ cities to nearby future LEZ (FLEZ). First, Table 11 displays the estimates from combining all the LEZs and their control cities. Across all traffic stations, column 1a shows that LEZs are associated with a 7.3 % decrease in PM_{10} (which is qualitatively similar to the result of columns 1 and 3 of Table 8 in the previous section). Auffhammer, Bento and Lowe (2009) show that *within* U.S. counties in non-attainment of pollution standards, pollution abatement plans have bigger effects in the areas that cause the non-attainment than those that do not violate the standards. To look for any similar heterogeneity, we analyse PM_{10} pollution only at cities' dirtiest stations and find the treatment effect increases to minus 10.7 % (column 2a).

One main question with the implementation of LEZs is whether air pollution decreases inside LEZs only, or whether outer areas of cities also benefit from the adoption or cleaner vehicles. To explore this question we coded the PM_{10} traffic measurement stations as inside or outside of the LEZ. Column 3a of Table 11 shows that the treatment effect at stations inside LEZs is 8.6 %, slightly larger than the average treatment effect. In comparison, at traffic stations outside of LEZs, PM_{10} decreases by a statistically insignificant 3.6 % (column 4a). These results imply that the benefits of PM_{10} reduction within the zones

²⁶ It is an interesting to note, that Cologne realized the lowest PM10 reduction (5%). Cologne is the only LEZ city that implemented an LEZ despite never violating the EC regulation. In Cologne therefore not the police is enforcing the regulation, but the much less representative agency "Stadt Koeln", which only issued a couple hundred of tickets. See http://www.spiegel.de/auto/aktuell/start-der-umweltzonen-kontrolle-vielleicht-strafe-spaeter-a-526151.html and http://www.ksta.de/innenstadt/verkehr-kaum-bussgelder-in-der-umweltzone.15187556,21405348.html.

are not fully carried over to the traffic stations outside of LEZs, a result that we will investigate in more detail in the case of Berlin below. Hence, again, we do not find statistical support for the stated hypotheses that PM_{10} levels increase around LEZs due to increased driving by dirty vehicles that cannot enter the LEZs. Again, consistent with the results of the previous subsection, at background stations LEZs are not associated with any significant change in PM₁₀, as displayed in Columns (1b) to (4b).

To further study the heterogeneity of LEZ cities, Figure 4 shows the treatment effect coefficients from comparing both background and traffic stations of each LEZ city to neighbouring future LEZ cities.²⁷ The cities in the figure are ranked in descending order by the number of inhabitants within the LEZ,²⁸ such that Berlin has the most people residing within its LEZ. Consistent with the above findings, PM₁₀ decreases at all LEZ cities' traffic stations (except for the smallest two cities by inhabitants, Ludwigsburg and Leonberg, where there is no statistically significant change in PM₁₀). At 12 %, this decrease is greatest in Berlin—the most-populous LEZ—and the treatment effects tend to diminish with lower populous LEZs. The effect of LEZs is again more heterogeneous for background stations. There are significant increases in PM₁₀ for Stuttgart, Mannheim, Reutlingen and Tübingen, while the changes are insignificant for Berlin, Hannover, Cologne²⁹ and Ludwigsburg.³⁰

The above Differences-in-Differences estimates could overstate our LEZ treatment effect if PM_{10} data are subject to mean reversion. In particular, this is a serious concern due to the noisy outcome of PM_{10} which in reality depends on many variables that we cannot control for.³¹ If cities are assigned into

²⁷ See Table E1 of Appendix E for the control cities used for each LEZ city. The numerical results of the regressions are provided in Table E2.

²⁸ The number of inhabitants in the LEZ of Reutlingen and Tübingen has not been published. By geographical analysis of the boundaries of the LEZ (available from Climate Company, 2009), we estimate that the number inhabitants for Reutlingen and Tübingen is 78,523 and 78,300.

²⁹ The statistically insignificant yet relatively large decrease at Cologne's background station could be because one station is located about 340 meters southwest of a major interstate.

³⁰ Compared to the city by city results of the 'matching on 2005' identification, these city by city geographical regressions use much fewer control cities and the standard errors are larger. In both versions we cluster standard errors by city to be conservative.

³¹ Local construction sites, open coal barbeques or similar events can temporary drastically increase PM_{10} emissions. If PM_{10} exceeds 50 mg per cubic meter more than 35 days per calendar year in part due to such outlier events,

nonattainment status purely due to random shocks of emissions and then PM_{10} reverses to its mean, our numerical LEZ estimate will also represent this mean reversion effect and hence overstate the true LEZ treatment effect. In following regressions of Table 12 and Table 13, we introduce placebo treatments as if the LEZs were introduced one year earlier. Hence using the year 2007 as the placebo treatment and 2006 as the control year in our Differences-in-Differences framework.³² We perform this placebo test for both

- (a) the 2005 PM_{10} matching strategy and
- (b) the geographical matching approach.

In our placebo regressions below, we expect to see no significant effect of LEZs on PM_{10} because no LEZ was introduced prior to 2008. The two tables below list the results for each matching approach (a) and (b). The Tables are built analogue to the main original LEZ regression Table 8 and Table 11 presented earlier, with the LEZ treatment effect replaced by the placebo dummy. In summary, the general lack of significance of the placebo dummies in Table 12 and Table 13 indicates that both of our matching strategies are robust to these tests of mean reversion.

4.4. Spatial Spillover Effects: The LEZ of Berlin

The LEZ policy of Berlin is of particular interest. It covers over 88 square kilometers and it is the largest LEZ in terms of the 1.1 million inhabitants that live within the LEZ. Furthermore, Berlin already tightened its regulation, such that only green sticker vehicles have been allowed to enter the zone since January 1st of 2010.³³ As we are fortunate to have a particular large set of background and traffic stations both located within and outside of the LEZ of Berlin, we next analyse this city further.³⁴

unrelated to traffic, and then PM_{10} reverses in the following years to its statistical mean, this phenomenon is described in the literature as mean reversion (Chay *et al.* 2005).

³² Flagging treatment and control cities identically to our main regressions in the paper where 2008 is the treatment year and 2007 is the control year.

³³ This is a drastic tightening which implies that from 2010 onward, 62% of all commercially used vehicles in Germany (including all commercial trucks and buses) are banned to enter the city of Berlin since they do not have the green sticker. Further 13% of all privately used vehicles are non-green and hence excluded to enter the city of Berlin. See Table 15 for details.

³⁴ This section uses fifteen air pollution stations. Four stations are located within the LEZ boundary of Berlin, four are located within the greater city of Berlin, but are outside of the boundary of the LEZ and seven stations are drawn

We first compare stations inside the LEZ of Berlin to the stations outside of the LEZ. In particular, the control group is defined as the set of four stations that are located outside of the LEZ of Berlin yet strictly within the greater urban area of Berlin. Column 1 of Table 14 shows that traffic stations within the LEZ experience a 6.0 % decrease in PM_{10} relative to traffic stations outside the LEZ. This decrease could be either because PM₁₀ emissions decrease within the LEZ, or because emissions increase outside of the LEZ as vehicles are forced to drive around it. To explore this, column 3 separately compares Berlin's four insideand four outside-LEZ stations to the seven nearby control stations used in the geographical approach. Traffic stations within the LEZ experienced a significant reduction of 15.0 %, which is the largest treatment effect among all our LEZ cities and likely attributable to the size of the LEZ and the stricter implementation scheme. Stations located outside of the Berlin LEZ also reduce PM₁₀ levels by a significant 9.1 %. Again, this is substantially larger than the (insignificant) average reduction of 3.6 % for all German outside-LEZ traffic stations, as displayed in Table 11, column 4a. These results suggest that the benefits of adopting cleaner vehicles are also realized outside of the LEZ. In other words, even if more vehicles need to drive outside of the LEZ to circumvent it, this effect would be more than offset by the increased use of cleaner vehicles. Columns 2 and 4 show that background stations within the LEZ see no significant change in PM_{10} relative to those outside of the LEZ, again supporting the evidence that adopting an LEZ does little to improve air quality in areas away from major roads.

Finally, the case of Berlin also allows us to check our identification assumption whether FLEZ cities are appropriate control cities. Note that the 6% decrease in Column (1) is 'reflected' in the LEZ versus FLEZ regression of Column (3): the 'inside LEZ' coefficient of -.15 is exactly .06 larger compared to the 'outside LEZ' coefficient of minus 9%. This shows internal consistency of these two separate estimations

from the FLEZ cities that serve as controls in below regression. Of these, eight are traffic stations and seven are background stations.

in Columns (1) and (3). This lends additional support to our identification assumption of using FLEZs as credible control cites.³⁵

4.5. Spatial Substitution between Low and High Emission Vehicles

One important argument for the four-tier PM_{10} categorization is that it prompts a more rapid adoption of cleaner technologies, as even those who do not typically drive into an LEZ may want to keep the option value of free passage. To test this, next we construct an unique panel dataset of German vehicles to analyse spatial substitution effects in purchasing new vehicles and retrofitting existing vehicles attributable to LEZs.

Data from the German Federal Motor Transport Authority (Kraftfahrtsbundesamt Flensburg) includes yearly observations of the total number of private and commercial vehicles by emission category (green, yellow, red or no sticker) for all districts from 2008 to 2010, reported on January 1 of each year. Table 15 summarizes the composition of the vehicle fleet; with 84%, the vast majority of vehicles now belong to the green sticker category. The changes over the two year time period are drastic. While on average the private vehicle fleet increased by only 1.3%, the green sticker group increased over-proportionally by 5.2%. This increase was driven by a drastic reduction of the red and no sticker vehicles, which decreased by 28 and 23 % respectively (panel (A) Table 15). For commercially owned vehicles these changes are even more remarkable. As displayed in panel (B), their green sticker category increased by 88 %, while red and no sticker vehicles decrease by 21 and 26 % respectively. Because commercial vehicles are used for business activities and often rely on access to the city center, the pressure to upgrade the commercial vehicle fleet is more pronounced.

Figure 5 displays changes in the share of green sticker private vehicles by county between 2008 and 2009 as a function of the county's distance to the next LEZ.³⁶ The change in green sticker share is between 0.01 and 0.035 share points, while counties close to an LEZ experience the largest increase in green stickers.

³⁵ Also note that the same calculations hold for the background stations showing that the two (insignificant) treatment effects of minus 0.046 and minus 0.040 in column (4) are roughly equal to the (insignificant) treatment effect of minus 0.007 in column (2).

³⁶ We use February 15, 2009 to determine the status of the city whether it contains an LEZ or not.

Visually, Regensburg and Bonn are outliers. It turns out that these cities' special circumstances explain their greater adoption of green sticker cars. In 2007, the local government of Regensburg announced an LEZ for spring 2008, then decided to postpone the introduction until September 1, 2008. This date was then again postponed to be tentatively scheduled for January 2010 (Stadt Regensburg, 2008). To this date the LEZ of Regensburg is still not implemented (Climate Company, 2010). It is therefore likely that the inhabitants of Regensburg responded to these announcements by preemptively upgrading their vehicles. The second outlier, the city of Bonn with 300,000 inhabitants, is very well connected to the LEZ city of Cologne (one million inhabitants) via a system of highways with mostly no speed limits, providing an incentive for Bonn's drivers to obtain green stickers

Next, Figure 6 shows how the share of the private vehicles without stickers (i.e. the highest-emitting vehicles) changed as a function of distance to the closest LEZ. All counties experience a decrease in the share of dirtiest vehicles, while once again the counties closest to an LEZ see the largest drop. Similarly, Figure 7 and Figure 8 show the change in shares of yellow and red sticker vehicles, respectively. Here the changes are more uniform across different counties. This is not surprising because these middle emissions categories are banned by few of the current LEZs.

Consistent with these figures, we present regression results in Table 16, which show that the adoption of green technology increases the closer the vehicle is registered to a city that has an LEZ. The change between 2008 and 2010 in each county's percentage of vehicles with green stickers is regressed on the distance from the county to the nearest LEZ city. In Table 16, the results are given separately for private and commercial vehicles and repeated for the change in % of vehicles without stickers, the dirtiest. In particular, we find that for each km closer a vehicle is to an LEZ, the incentive to upgrade to a green sticker increases by about one % for commercial vehicles and 0.6 % for private vehicles. Hence, again, the effect is larger for commercial vehicles, as these rely more on access to city centers for business.

In summary, we find evidence that the introduction of LEZs creates an incentive for drivers to substitute towards lower-emitting vehicles. The closer a county is to an LEZ, the more likely its citizens have been to

substitute away from the dirtiest cars and towards the cleanest cars. The incentives are particularly strong for the commercial vehicles, which more aggressively updated their fleet due to the LEZs.

5. Cost Benefit Analysis

To get sense of LEZ's efficiency, we use our results to calculate back-of-the-envelope costs and benefits of LEZs.³⁷ In order to calculate the changes in health benefits, we use epidemiological estimates measuring the effect of PM_{10} on long-term mortality from Medina *et al.* (2004). For the calculation we apply the *Value of the Statistical Life* of \$7.9 million (2008\$) to monetize these benefits (EPA 2000). Using our city-specific estimates (from the geographical) approach of Section 5 and applying the reductions in PM_{10} to the exposure of the number of inhabitants residing within each LEZ, we monetize these health benefits to be \$1.98 billion dollar.

These health benefits stand against the costs of the LEZ program. The largest costs are due to the upgrading of the vehicle fleet. To calculate these costs, we use the vehicle spatial substitution results of Section 5. First, we use the vehicle registration data to fit regressions of the change in share of green-sticker private and commercial vehicles³⁸ on the distance from an LEZ. To avoid counting vehicles that would have switched to the green sticker category in the absence of the LEZ regulation, we use as the baseline the change in share of green stickers for the point furthest away from any LEZ. For each location, we subtract this baseline from our regressions' predicted change in share of green sticker vehicles. This is what we consider as the change in share of green stickers attributable to the LEZ. We then multiply this coefficient by the location's number of vehicles to obtain the number of new green vehicles attributable to the LEZ. Finally, we sum these numbers for all locations and multiply by the weighted average cost for upgrading cars, buses and trucks to get the total cost of \$1.09 billion dollar due to LEZ induced vehicle upgrading.

³⁷ Appendix F provides the details about the specific calculations involved of the costs and the benefits .

³⁸ Since vehicle registration data is measured as of January 1of every year, the data really measures vehicles purchased or upgraded in 2007 versus the vehicles purchased or upgraded in 2008.

These calculations are clearly approximate in nature and we omit some potentially important factors. First, the benefits may even be larger if congestion decreased within the LEZ reducing the amount of the time spend in stop and go traffic. This time saving effect would need to be compared to the additional time needed for those drivers that need to driver longer routes to circumvent the LEZ. Second, ancillary pollutants are not considered in the calculation of the health benefits. Third, business within the LEZ and outside of the LEZ can adversely or positively be affected. Fourth, the upgrading of the vehicle can potentially have other benefits to the driver, such as having a safer or more comfortable vehicle. Fifth, in our calculation we only considered the benefits to the residents that strictly live within the LEZ area. In the Appendix F we include calculations for all inhabitants of the cities which increases the benefits from \$1.98 to \$5.22 billion. Sixth, we consider only the changes at traffic stations. In some cities, however, also background stations were affected. Taking these changes into account reduces the estimated health benefit by \$0.3 billion, in the case of the geographical matching approach. For our '2005 matching' approach, the welfare estimate however remains unchanged. With these limitations in mind our main results indicate health benefits of roughly two billion U.S. dollars, which came at a cost of about one billion U.S. dollar to upgrade the German vehicle fleet.

6. Conclusions

With over half of the world's population living in increasingly motorized cities, urban traffic policies are receiving much interest to manage congestion, protect public health and to reduce emissions of air pollutants. A wide range of tools have been implemented, including the license plate program, permanent driving bans, congestion pricing, traffic cell architecture, temporary driving bans, the building of ring roads or the implementation of Low Emission Zones (LEZs). Uncertainty about the effectiveness, however, creates difficulties to make informative decisions among policy options and to gain public support by policy makers. As a result, often choices seem ad hoc and regionally clustered.

This paper is the first to study the effect of Low Emission Zones (LEZs), which is one of the most aggressive tools intended to rapidly decrease air pollutants, widely adopted across the European Union but

also exists in Asia (i.e. Tokyo) and variations of the program are frequently discussed in combination with other traffic options, i.e. to exclude traffic charges for low emission vehicles in the U.S.³⁹ and elsewhere.

Our main findings are that (a) LEZs reduce particulate emissions by nine %, whereas other air quality policies (which do not include a LEZ) had surprisingly no effect; (b) avoidance behaviour of driving around the LEZ does not lead to significant spatial spillover effects; (c) there is heterogeneity across zones, with larger LEZs having stronger impacts; (d) spatial vehicle fleet composition changed drastically as a response to the announcements of LEZs in Germany.

Overall, our back of the envelope calculations predict health benefits of nearly two billion dollars that have come at a cost of just over 1 billion dollars for vehicle upgrading. While many more cities will have to implement stricter policies soon to circumvent EU penalties, this is the first timely paper to assess this popular and rapidly growing policy. More studies of related policies (congestion charging, public transportation etc.) are in order to better inform this public policy debate and to evaluate the relative efficiencies⁴⁰ of competing policies.

University of Washington Submitted: 30 August 2011 Accepted: 22 June 2013

³⁹ In New York Bloomberg's popular plan was to introduce a fee system of congestion charges with exceptions and discounts for certain low-emission vehicles. Other major U.S. cities are discussing similar programs.

⁴⁰ See Fowlie *et al.* (2011) for a recent study on the relative efficiency of policies effecting stationary and non-stationary pollution sources.

References

Auffhammer, M. and Kellogg, R. (2011). 'Clearing the Air? The Effects of Gasoline Content Regulation on Air Quality', *American Economic Review*. vol. 101, pp. 2687-2722.

Auffhammer, M., Bento, A. and Lowe, S. (2009). 'Measuring the Effects of the Clean Air Act Amendments on ambient PM₁₀ concentrations: The Critical Importance of a Spatially Disaggregated Approach', *Journal of Environmental Economics and Management* vol. 58(1), pp. 15-26.

Bertrand, M., Duflo, E. and Mullainathan, S. (2004). 'How Much Should We Trust Differences-In-Differences Estimates?', *Quarterly Journal of Economics* vol. 119, pp. 249-275.

Bild (2009): Feinstaub: Der Irrsinn mit den Umweltzonen. Article of the Bild Zeitung, published November 24th, 2009. Accessed online on Bild.de on November 24, 2009.

Chay, K.Y. and Greenstone, M. (2003). 'The Impact of Air Pollution on Infant Mortality: Evidence from Geographic Variation in Pollution Shocks Induced by a Recession', *Quarterly J. Economics* vol. 118(3), pp. 1121–67.

Chay, K.Y. and Greenstone, M. (2005) 'Does Air Quality Matter? Evidence from the Housing Market', *Journal of Political Economy*, vol. 113(2), pp. 376–424.

Chay, K.Y., McEwan, P.J. and Urquiola, M. (2005). 'The Central Role of Noise in Evaluating Interventions That Use Test Scores to Rank Schools', *American Economic Review*, vol. 95(4), pp. 1237-1258.

Climate Company. (2009). GEMB Gesellschaft fur Emissionsmanagement und Beratung mbH, Geschaftsfuehrer Michael Kroehnert, HRB 101917 AG Berlin Charlottenburg, http://www.umweltplakette.de/

Cohen A.J., Anderson, H.R., Ostro B., Pandey, K.D., Krzyanowski, M., Kunzli, N., Gutschmidt, M., Pope, A. Romiau, I., Samet, J.I., and Smith, K. (2005). 'The global burden of disease due to outdoor air pollution', *Journal of Toxicology and Environmental Health, Part A* vol. 68, pp. 1–7.

Council Directive 08/50/EC Journal of the European Communities L 152 pp. 1-44.

Council Directive 96/62/EC Journal of the European Communities 296, 21.11. pp. 55-63.

Council Directive 99/30/EC Official Journal of the European Communities, L 163/60.

Davis, L. (2008). 'The Effect of Driving Restrictions on Air Quality in Mexico City', *Journal of Political Economy*, vol. 116(1), pp. 38-81.

Dockery, D., Pope, C., Xu, X., Spengler, J., Ware, J., Fay, M., Ferris, B., and Speizer, F. (1993). 'An association between air pollution and mortality in six U.S. cities', *New England Journal of Medicine*, vol. 329(24) pp. 1753-1759.

DSM (2009) Online Survey of Deutschlands schnellste Meinung. http://www.bild.de/BILD/dsm/deutschlands-schnellste-meinung.html (last accessed 24 November 2009).

EPA. 2000. Guidelines for Preparing Economic Analyses, Office of the Administrator. EPA-240-R-00-003, December 2000.

EPA. 2004. Air quality criteria for particulate matter (Final Report, Oct 2004). U.S. Environmental Protection Agency, Washington, DC, EPA 600/P-99/002aF-bF.

Fowlie, M. (2010). 'Emissions Trading, Electricity Industry Restructuring, and Investment in Pollution Control', *American Economic Review*, vol. 100(3), pp. 837-869.

Fowlie, M, Knittel, C.R. and Wolfram, C. (2011). 'Sacred Cars? Cost-Effective Regulation of Stationary and Non-stationary Pollution Sources', *American Economic Journal: Economic Policy*, vol. 4(1), pp. 98-126.

Goddard, H. C. (1997). 'Using Tradeable Permits to Achieve Sustainability in the World's Large Cities', *Environmental and Resource Economics*, vol. 10 (1) pp.63–99.

Graff Zivin, J. and Neidell, M. (2009). 'Days of haze: Environmental information disclosure and intertemporal avoidance behavior', *Journal of Environmental Economics and Management*, vol. 58 (2), pp. 119-128.

Johannsen, M. (2009). Schulferien.org website maintained Moritz Johannsen, 16548 Glienicke, Germany. Klinger, M. and Sahn, E. (2008). 'Prediction of PM₁₀ Concentration on the Basis of High Resolution Weather Forecasting', *Meteorologische Zeitschrift*, vol. 17(3), pp. 263-272. Krewski D., Burnett R.T., Goldberg M.S., Hoover, K., Siemiatycki, J., Abrahamowicz, M., Villeneuve, P. and White, V. (2000). ,Re-analysis of the Harvard Six cities Study and the American Cancer Society Study of air pollution and mortality', Cambridge, MA: Health Effects Institute.

Kunzli N, Kaiser R., Medina S., Studnicka, M., Chanel, O., Henry, M., Horak Jr., F., Puybonnieux-Texier, V., Quenel, P., Schneider, J., Seethaler, R., Vergnaud, J.C., and Sommer, H. (2000). 'Public-health impact of outdoor and traffic-related air pollution: a European assessment', *Lancet* vol. 356, pp.795–801.

Leape, J. (2006). 'The London Congestion Charge', *Journal of Economic Perspectives*, vol 20(4), pp.157-176.

Levinson, A. and Shetty, S. (1992). 'Efficient Environmental Regulation: Case Studies of Urban Air Pollution in Los Angeles, Mexico City, Cubatao and Ankara.' Policy Research Working Paper no. 942, World Bank, Washington, D.C.

Medina S., Plasencia, A., Ballester, F., Mucke, H.G. and Schwartz, J. (2004). 'Apheis: public health impact of PM₁₀ in 19 European cities', *Journal of Epidemiology and Community Health*, vol. 58, pp. 831-836.

Meyer, B. (1995). 'Natural and Quasi-Experiments in Economics', *Journal of Business & Economic Statistics*, vol. 13, pp. 151-161.

Moretti, E. and Neidell, M. (2011). 'Pollution, Health, and Avoidance Behavior: Evidence from the Ports of Los Angeles', *Journal of Human Resources*, vol. 46(1), pp. 154-175.

Pope III, C.A., Thun, M.J., Namboodiri, M.M., Dockery, D.W., Evans, J.S., Speizer, F.E. and HeathJr., C.W. (1995). 'Particulate air pollution as a predictor of mortality in a prospective study of U.S. adults', *American Journal of Respiratory Critical Care Med*icine, vol. 151(3), pp.669-74.

Roson, R. and Small, K. (1998). *Environment and Transport in Economic Modeling*. Kluwer Academic Publishers, Dordrecht, Boston and London.

Seethaler, R. (1999). 'Health Costs Due to Road Traffic-Related Air Pollution: An Integrated Assessment of Austria, France and Switzerland'. Third WHO Ministerial Conference of Environment and Health, London.

Small, K. and Kazimi, C. (1995). 'On the Costs of Air Pollution From Motor Vehicles', *Journal of Transport Economics and Policy*, vol. 29, pp.7-23.

Stadt Regensburg (2008): Stadtradt Regensburg, Ausschuss fuer Stadtplanung, Umwelt, Verkehr und Wohnungsfragen. Beschluss vom 27. Februar, 2008, Regensburg.

Süddeutsche (2009). Fahrverbot in Umweltzonen: Viel Staub um Nichts. Article of the Süddeutsche Zeitung, published November 24th, 2009. Accessed online on sueddeutsche.de on November 24, 2009.

Transportation for London. (2010). 'TFL's Report to the Mayor on the Low Emission Zone Variation OrderConsultation'LEZVOConsultationReport,September2010,

http://www.tfl.gov.uk/assets/downloads/roadusers/lez/LEZ/lez-vo-report-to-mayor-sept-2010.pdf

U.S. Environmental Protection Agency. 2000. Guidelines for Preparing Economic Analyses, Office of the Administrator. EPA-240-R-00-003, December 2000.

U.S. Environmental Protection Agency. The Benefits and Costs of the Clean Air Act, 1990-2010. Report to the U.S. Congress, November 1999.

Van Zelm, R., Huijbregtsa, M.A.J., den Hollander, H.A., van Jaarsveldd, H.A., Sautere, F.J., Struijsb, J., Wijnenc, H.J. and van de Meent, D. (2008). 'European characterization factors for human health damage of PM₁₀ and ozone in life cycle impact assessment', *Atmospheric Environment*, vol. 42, pp.441–453.

Viana, M., Kuhlbusch, T.A.J., Querol, X., Alastuey, A., Harrison, R.M., Hopke, P.K., Winiwarter, W., Vallius, M., Szidat, S. and Prevot, A.S.H. (2008). 'Source apportionment of particulate matter in Europe: A review of methods and results', *Journal of Aerosol Science*, vol. 39, pp. 827–849.

Vienken (2008): Summary of Survey about LEZ: Deutsche Autofahrer zweifeln am Sinn und Zweck von Umweltzonen: Knapp 70% wuerden nach Moeglichkeit Umweltzonen umfahren. Survey by DA Direkt Versicherung. Accessed online at www.presseportal.de/pm/17575/1165262/da_direkt_versicherung on November 24, 2009.

Vuchic, V. R. (1999). Transportation for Livable Cities, CUPR Press.

Watkiss, P. (2003). 'The London Low Emission Zone Feasibility Report: A Summary of the Phase 2 ReporttotheLondonLowEmissionZoneSteeringGroup.'http://www.tfl.gov.uk/assets/downloads/roadusers/lez/phase-2-feasibility-summary.pdf

Watkiss, P. S., Pye S., Holland, M. (2005). CAFE CBA: baseline analysis 2000 to 2020. Report to the European Commission DG Environment, Brussels.

Wolff, H. and Perry, L. (2010). 'Trends in Clean Air Legislation in Europe: Particulate Matter and Low Emission Zones', *Review of Environmental Economics and Policy*, vol. 4(2), pp.293-308.

Table 1: EU PM₁₀ Limits

| Panel A: European Union PM_{10} pollution thresholds | | | | | |
|--|----------------------|---|--|--|--|
| | Phase 1 | Phase 2 (now defunct) originally planned to | | | |
| | since 1 January 2005 | start 1 January 2010 | | | |
| Yearly average limit | $40 \ \mu g/m^3$ | $20 \ \mu g/m^3$ | | | |
| Daily average (24-hour) limit | $50 \ \mu g/m^3$ | $50 \ \mu g/m^3$ | | | |
| Allowed number of exceedences per year | 35 | 7 | | | |
| Numbers of German cities violating the standard | 81 | 285* | | | |

| Panel B: Germany violations of PM_{10} limits | | | | | |
|--|--------|--------|--------|--------|--|
| | 2005 | 2006 | 2007 | 2008 | |
| National avarage DM (ug/m3) | 24.4 | 26.2 | 23.1 | 21.2 | |
| National average Fivi10 [µg/m ^s] | (5.2) | (5.5) | (5.3) | (4.9) | |
| Maan number of doug [†] shows 50 ug/m^3 | 19.6 | 26.8 | 16.2 | 11.6 | |
| Mean number of days' above 50 µg/m ² | (20.9) | (21.1) | (15.8) | (12.9) | |
| Cities in violation of 2005 standard | 36 | 65 | 31 | 18 | |
| Cities in violation of 2010 standard | 226 | 246 | 200 | 134 | |

*The calculation of the expected number of cities violating the 2010 standard is based on the number of cities that would have violated the standard between 2005 and 2008 either because of exceedance days or high annual averages

[†] Average of the highest exceeding station per city; Standard deviations in parentheses

| Sticker categories | | | | | | |
|----------------------------------|--|---|---|---|--|--|
| | No sticker | Red | Yellow | Green | | |
| Requirement for diesel vehicles | Euro 1 or worse | Euro 2 or Euro 1 with particle filter | Euro 3 or Euro 2 with particle filter | Euro 4 or Euro 3 with particle figure | | |
| Requirement of gasoline vehicles | Without 3- way catalytic converter | | | Euro 1 with regulated catalytic converter or better | | |

Table 2: German Vehicle Stickers



Table 3: German LEZ Restrictions 2008 to 2012

| Weather Variables | Unit | Mean | St. Dev. | Min | Max |
|------------------------------|--------|------|----------|-------|------|
| Daily average temperature | 1C | 9.6 | 7.7 | -27 | 31 |
| Daily min temperature | 1C | 5.6 | 6.9 | -29.7 | 24.4 |
| Daily max temperature | 1C | 13.8 | 8.9 | -23.1 | 40.2 |
| Daily avg. vapor pressure | 1 hpa | 9.9 | 4.1 | 0.2 | 26.9 |
| Daily average air pressure | 1 hpa | 981 | 49 | 679 | 1047 |
| Daily avg. relative humidity | % | 78.1 | 12.9 | 7 | 101 |
| Daily avg. wind speed | 1 m/s | 2.6 | 1.1 | 0 | 10 |
| Daily max wind speed | 1 m/s | 10.9 | 4.9 | 1.3 | 64.8 |
| Daily avg. cloud cover | Tenths | 7.1 | 1.3 | 0 | 9 |
| Sun in day | 1 hour | 4.8 | 4.4 | 0 | 16.7 |
| Precipitation during day | 1 mm | 2.1 | 4.7 | 0 | 158 |
| Snow depth | cm | 4.1 | 28.6 | 0 | 550 |

Table 4: Summary of Weather Data

Table 5: Treatment and Control Characteristics

| | Number of cities | 2005 highest- polluting station avg. | Avg. number of exceedance days |
|------------------------------------|------------------|--|--------------------------------|
| Attainment cities (AC) | 22 | 26.8 | 22.4 |
| Action Plan only cities (APO) | 22 | 30.7 | 36.8 |
| AP with LEZ after Oct. 2008 (FLEZ) | 7 | 30.0 | 34.7 |
| AP with LEZ before Oct. 2008 (LEZ) | 4 | 28.9 | 28.9 |

These are the cities that make up our sample for the 2005 PM_{10} matching analysis.

Table 6: Effect of LEZ Start Date on 2007 PM₁₀ Levels

| I aner ou. Effect of EEE start date on 2007 I Info tevets | | | | |
|---|--------------|------------------|---------------------|--|
| | All Stations | Traffic stations | Background stations | |
| | (1) | (2) | (3) | |
| LEZ start date | -0.000173 | -0.000225 | 0.0000811 | |
| | [0.000958] | [0.00117] | [0.000890] | |
| Observations | 24942 | 15478 | 9464 | |
| Adjusted R-squared | 0.719 | 0.711 | 0.681 | |

Panel 6a: Effect of LEZ start date on 2007 PM₁₀ levels

Panel 6b: Effect of LEZ start date on 2005 PM₁₀ levels

| | All Stations | Traffic stations | Background stations |
|--------------------|--------------|------------------|---------------------|
| | (1) | (2) | (3) |
| LEZ start date | 0.00137 | 0.00164 | 0.00167 |
| | [0.00163] | [0.00112] | [0.00262] |
| Observations | 19409 | 10757 | 8652 |
| Adjusted R-squared | 0.694 | 0.697 | 0.622 |

Panel 6c: Effect of LEZ start date on 2006 PM₁₀ levels

| | All Stations | Traffic stations | Background stations |
|--------------------|--------------|------------------|---------------------|
| | (1) | (2) | (3) |
| LEZ start date | 0.00282 | 0.00251 | 0.00386* |
| | [0.00193] | [0.00199] | [0.00205] |
| Observations | 25813 | 16359 | 9454 |
| Adjusted R-squared | 0.717 | 0.718 | 0.672 |

Panel 6d: Effect of LEZ start date on change in PM₁₀ levels between 2006 & 2007

| | All Stations | Traffic stations | Background stations |
|--------------------|--------------|------------------|---------------------|
| | (1) | (2) | (3) |
| LEZ start date | -0.00120 | -0.00188 | 0.0000886 |
| | [0.00118] | [0.00139] | [0.00231] |
| Observations | 23085 | 13991 | 9094 |
| Adjusted R-squared | 0.469 | 0.478 | 0.467 |

All regressions include year-month fixed effects, weather, holiday, station type and population covariates. Robust standard errors in brackets are clustered by city, *** p<0.01, ** p<0.05, * p<0.1

| | All Actio | on Plans (AP) | (AP) Action Plans W LEZs (APC | | Action Plans With Futur LEZs (FLEZ) | |
|----------------|----------------------------|-------------------------------|----------------------------------|-------------------------------|--|-------------------------------|
| | Traffic Stations (1) | Background Stations (2) | Traffic Stations (3) | Background Stations (4) | Traffic Stations (5) | Background Stations (6) |
| AP treatment | 0.0117 | 0.0404 | -0.0125 | 0.0440 | 0.0316 | -0.0523 |
| | [0.0366] | [0.0466] | [0.0357] | [0.0484] | [0.0530] | [0.0706] |
| Observations | 28859 | 21236 | 22378 | 16380 | 12746 | 11532 |
| Adj. R-squared | 0.657 | 0.618 | 0.656 | 0.622 | 0.604 | 0.608 |

| Table 7: Effect of Action Plans on Log PM ₁₀ | |
|---|--|
| Matching based on 2005 PM ₁₀ in range 25 to 35 | |

All regressions include year-month fixed effects, weather, holiday, station type and population covariates. Regressions include data for January-October 2005 vs. 2008.

Robust standard errors in brackets are clustered by city, *** p<0.01, ** p<0.05, * p<0.1.

Table 8: LEZ versus Attainment Cities

| | A | ll cities | Cities | s > 100,000 |
|----------------|------------------|--------------------------------------|----------|---------------------|
| | Traffic stations | Traffic stations Background stations | | Background stations |
| | (1) | (2) | (3) | (4) |
| LEZ treatment | -0.0910*** | 0.00724 | -0.0686* | 0.0448 |
| | [0.0241] | [0.0285] | [0.0302] | [0.0354] |
| Observations | 6723 | 7704 | 2896 | 4280 |
| Adj. R-squared | 0.657 | 0.591 | 0.653 | 0.653 |

Matching based on 2005 PM₁₀ in range 25 to 35

All regressions include year-month fixed effects, weather, holiday, station type and population covariates. Regressions include data for April-October 2007 vs. 2008.

Robust standard errors in brackets are clustered by city, *** p<0.01, ** p<0.05, * p<0.1.

| | Α | ll cities | Cities > 100,000 | | |
|-------------------------|--|-------------------------|----------------------------|-------------------------|--|
| | Traffic stations Background stations T | | Traffic stations | Background stations | |
| | (1) | (2) | (3) | (4) | |
| LEZ treatment | -0.0910*** | 0.00724 | -0.0686* | 0.0448 | |
| | [0.0241] | [0.0285] | [0.0302] | [0.0354] | |
| Observations | 6723 | 7704 | 2896 | 4280 | |
| Adj. R-squared | 0.657 | 0.591 | 0.653 | 0.653 | |
| Matching based on 2 | 2005 PM ₁₀ in range | e 23 to 37 | | | |
| | Α | ll cities | Cities | s > 100,000 | |
| | Traffic stations | Background stations | Traffic stations | Background stations | |
| | (1) | (2) | (3) | (4) | |
| LEZ treatment | -0.0822*** | 0.00973 | -0.0686* | 0.0283 | |
| | [0.0203] | [0.0236] | [0.0302] | [0.0402] | |
| Observations | 7977 | 11984 | 2896 | 5992 | |
| Adj. R-squared | 0.654 | 0.591 | 0.653 | 0.612 | |
| Matching based on 2 | 2005 PM ₁₀ in range | e 21 to 39 | | | |
| | A | ll cities | Cities > 100,000 | | |
| | Traffic stations (1) | Background stations (2) | Traffic stations | Background stations (4) | |
| I FZ treatment | -0.0486* | 0.0249 | -0.0362 | 0.0431 | |
| | [0 0272] | [0 0264] | [0.0346] | [0.0415] | |
| Observations | 10942 | 17974 | 5861 | 9842 | |
| Adi R-squared | 0.645 | 0 581 | 0.618 | 0.611 | |
| Matching based on 2 | 2005 PM in range | 20 to 40 | 01010 | 0.011 | |
| Wratering based on 2 | | ll cities | Cities | s > 100 000 | |
| | Traffic stations | Background stations | Traffic stations | Background stations | |
| | (1) | (2) | (3) | (4) | |
| LEZ treatment | -0.0486* | 0.0228 | -0.0362 | 0.0412 | |
| | [0.0272] | [0.0251] | [0.0346] | [0.0370] | |
| Observations | 10942 | 19686 | 5861 | 10698 | |
| Adj. R-squared | 0.645 | 0.582 | 0.618 | 0.612 | |
| Matching based on 2 | 2005 PM10 No Rar | ıge | | | |
| | A | ll cities | Cities | s > 100,000 | |
| | Traffic stations | Background stations | Traffic stations | Background stations | |
| | (1) | (2) | (3) | (4) | |
| LEZ treatment | -0.0554** | 0.0347 | -0.0322 | 0.0477 | |
| | [0.0240] | [0.0290] | [0.0299] | [0.0376] | |
| Observations | 14583 | 22682 | 8688 | 12410 | |
| Adj. R-squared | 0.669 | 0.587 | 0.661 | 0.618 | |
| All magnessions in alud | | CC | 4 . 4 ¹ | 1.41.0.0.0.0.0.0000000 | |

Table 9: LEZ vs. Attainment Cities: Sample Selection Effects Matching based on 2005 PM₁₀ in range 25 to 35

All regressions include year-month fixed effects, weather, holiday, station type and population covariates. Regressions include data for April-October 2007 vs. 2008.

Robust standard errors in brackets are clustered by city, *** p<0.01, ** p<0.05, * p<0.1.

Table 10: Effect of Individual LEZ on log PM₁₀ Matching based on 2005 PM₁₀ in range 25 to 35

| | All station | Traffic | Background | | | | | |
|----------------|------------------|--------------|------------|--|--|--|--|--|
| | types | stations | stations | | | | | |
| | (A) Mannheim LEZ | | | | | | | |
| | (1a) | (2a) | (3a) | | | | | |
| LEZ treatment | -0.0837*** | -0.132*** | -0.0345 | | | | | |
| | [0.0182] | [0.0187] | [0.0263] | | | | | |
| Observations | 11958 | 5538 | 6420 | | | | | |
| Adj. R-squared | 0.592 | 0.618 | 0.578 | | | | | |
| | | (B) Cologne | LEZ | | | | | |
| | (1b) | (2b) | (3b) | | | | | |
| LEZ treatment | -0.00605 | -0.0475** | 0.0132 | | | | | |
| | [0.0170] | [0.0192] | [0.0251] | | | | | |
| Observations | 12412 | 5564 | 6848 | | | | | |
| Adj. R-squared | 0.601 | 0.628 | 0.586 | | | | | |
| | | (C) Reutling | gen | | | | | |
| | (1c) | (2c) | (3c) | | | | | |
| LEZ treatment | -0.0461** | -0.130*** | 0.0342 | | | | | |
| | [0.0206] | [0.0197] | [0.0271] | | | | | |
| Observations | 8555 | 3965 | 6420 | | | | | |
| Adj. R-squared | 0.632 | 0.658 | 0.592 | | | | | |
| | | (D) Leonber | 5 | | | | | |
| | (1d) | (2d) | | | | | | |
| LEZ treatment | -0.0765*** | -0.0693*** | | | | | | |
| | [0.0194] | [0.0187] | | | | | | |
| Observations | 11531 | 5539 | | | | | | |
| Adj. R-squared | 0.601 | 0.631 | | | | | | |

All regressions include year-month fixed effects, weather, holiday, station type and population covariates. Regressions include data for April-October 2007 vs. 2008. Robust standard errors in brackets are clustered by city, *** p<0.01, ** p<0.05, * p<0.1.

| | <u> </u> | Dirtiest | | |
|----------------|--------------|---------------|------------|-------------|
| | All stations | stations | Inside LEZ | Outside LEZ |
| | | Traffic stati | ons | |
| | (1a) | (2a) | (3a) | (4a) |
| LEZ treatment | -0.0733** | -0.107** | -0.0862*** | -0.0363 |
| | [0.0319] | [0.0392] | [0.0289] | [0.0465] |
| Observations | 15794 | 7849 | 14156 | 10885 |
| Adj. R-squared | 0.683 | 0.707 | 0.692 | 0.677 |
| | | Background st | ations | |
| | (1b) | (2b) | (3b) | (4b) |
| LEZ treatment | 0.0163 | 0.148 | 0.0145 | 0.0178 |
| | [0.0381] | [0.0549] | [0.0643] | [0.0327] |
| Observations | 9842 | 1284 | 6848 | 8130 |
| Adj. R-squared | 0.633 | 0.556 | 0.633 | 0.627 |

Table 11: All Early LEZs vs. Nearby Future LEZs

All regressions include year-month fixed effects, weather, holiday, station type and population covariates. Regressions include data for April-October 2007 vs. 2008.

Robust standard errors in brackets are clustered by city, *** p<0.01, ** p<0.05, * p<0.1.

*Table 12: Placebo Regression: 2005 PM*₁₀ *Matching Approach – Analogue to Table 8, but using 2007 as the Placebo Treatment*

| | A | ll cities | Cities > 100,000 | | |
|----------------|---------------------|------------------------|----------------------------|------------------------|--|
| | Traffic stations | Background stations | Traffic stations | Background stations | |
| | (1) | (2) | (3) | (4) | |
| Placebo dummy | 0.139 | -0.0137 | 0.121 | 0.0191 | |
| | [0.144] | [0.0743] | [0.0953] | [0.0630] | |
| Observations | 6420 | 8132 | 2896 | 4280 | |
| Adj. R-squared | 0.670 | 0.645 | 0.653 | 0.653 | |

LEZ vs. Attainment cities – 2006 vs. 2007

All regressions include year-month fixed effects, weather, holiday, station type and population covariates. Regressions include data for April-October 2006 vs. 2007.

Robust standard errors in brackets are clustered by city, *** p<0.01, ** p<0.05, * p<0.1.

| Table | 13: P | Placebo | Regression | of Geograp | hical Mate | ching App | roach— | Analogue to | Table 1 | 1, but |
|-------|-------|----------|-------------|------------|------------|-----------|--------|-------------|---------|--------|
| using | 2007 | as the l | Placebo Tre | atment | | | | | | |

| | | Dirtiest | | | | | | |
|----------------|---------------------|---------------|------------|-------------|--|--|--|--|
| | All stations | stations | Inside LEZ | Outside LEZ | | | | |
| | | Traffic stati | ons | | | | | |
| | (1a) | (2a) | (3a) | (4a) | | | | |
| Placebo dummy | -0.0256 | -0.0066 | -0.0189 | -0.0528 | | | | |
| | [0.0405] | [0.0764] | [0.0470] | [0.0674] | | | | |
| Observations | 17110 | 7271 | 15612 | 11332 | | | | |
| Adj. R-squared | 0.692 | 0.700 | 0.696 | 0.685 | | | | |
| | Background stations | | | | | | | |
| | (1b) | (2b) | (3b) | (4b) | | | | |
| Placebo dummy | -0.0515 | 0.0376 | 0.0034 | -0.0845 | | | | |
| | [0.0443] | [0.100] | [0.0300] | [0.0555] | | | | |
| Observations | 10690 | 1707 | 7694 | 8555 | | | | |
| Adj. R-squared | 0.656 | 0.622 | 0.650 | 0.647 | | | | |

All Early LEZs vs. Nearby Future LEZs – 2006 vs. 2007

All regressions include year-month fixed effects, weather, holiday, station type and population covariates. Regressions include data for April-October 2006 vs. 2007. Robust standard errors in brackets are clustered by city, *** p<0.01, ** p<0.05 * p<0.1

| Stations within LEZ co | Compared to nearby FLEZ cities | | | |
|----------------------------|--------------------------------|---------------------|------------------|---------------------|
| | Traffic stations | Background stations | Traffic stations | Background stations |
| | (1) | (2) | (3) | (4) |
| LEZ treatment | -0.0596** | -0.0066 | | |
| | [0.0251] | [0.0236] | | |
| LEZ treatment: inside LEZ | | | -0.150** | -0.0462 |
| | | | [0.0210] | [0.0133] |
| LEZ treatment: outside LEZ | | | -0.0906** | -0.0402 |
| | | | [0.0210] | [0.0142] |
| Observations | 2188 | 1639 | 4376 | 2186 |
| Adjusted R-squared | 0.599 | 0.615 | 0.591 | 0.591 |

Table 14: Berlin LEZ: Stations within LEZ compared to those outside

All regressions include year-month fixed effects, weather, holiday, station type and population covariates. Regressions include data for February-October 2007 vs. 2008.

Robust standard errors in brackets are clustered by month for columns (1) and (2) and city for columns (3) and (4), *** p<0.01, ** p<0.05, * p<0.1.

| (A) Private Vehicles | | | | | | | |
|-------------------------|--------------------|--------------------|--------------------|------------------------|--|--|--|
| | 2008 | 2009 | 2010 | % change 2008 vs. 2010 | | | |
| Green | 34,020,748 | 34,862,420 | 35,795,940 | 5.2 | | | |
| Yellow | 3,931,262 | 3,597,594 | 3,425,119 | -12.9 | | | |
| Red | 1,267,825 | 1,092,315 | 907,543 | -28.4 | | | |
| No Sticker | 1,597,089 | 1,381,064 | 1,236,204 | -22.6 | | | |
| Total | 40,816,924 | 40,933,393 | 41,364,806 | 1.3 | | | |
| (B) Commercial Vehicles | | | | | | | |
| | 2008 | 2009 | 2010 | % change 2008 vs. 2010 | | | |
| Green | 524,542 | 792,577 | 985,245 | 87.8 | | | |
| Yellow | 945,181 | 844,803 | 793,008 | -16.1 | | | |
| Ded | | | | | | | |
| Red | 469,853 | 413,133 | 372,962 | -20.6 | | | |
| No Sticker | 469,853 609,948 | 413,133 518,545 | 372,962 451,169 | -20.6 -26.0 | | | |

| Table | 15: | Vehicle | Regi | istration | by | Emissions | Sticker | Category | Private | Vehicles |
|-------|-----|---------|------|-----------|----|-----------|---------|----------|---------|----------|
| | | | | | ~ | | | 0 2 | | |

Table 16: Effect of Distance from LEZ City on Green Technology Adoption

| | Change in % of green sticker vehicles from 2008 to 2010 | | | | |
|-----------------------------|---|---------------------|--|--|--|
| | Private vehicles | Commercial vehicles | | | |
| | (1) | (2) | | | |
| Distance to nearest LEZ, km | -0.0061*** | -0.0108*** | | | |
| | [0.0005] | [0.0025] | | | |
| Observations | 405 | 405 | | | |
| Adj R-squared | 0.265 | 0.042 | | | |
| | er vehicles from 2008 to 2010 | | | | |
| | Private vehicles | Commercial vehicles | | | |
| | (3) | (4) | | | |
| Distance to nearest LEZ, km | 0.0030*** | 0.0070*** | | | |
| | [0.00021] | [0.0012] | | | |
| Observations | 405 | 405 | | | |
| Adj R-squared | 0.333 | 0.080 | | | |

Robust standard errors in brackets, *** p<0.01, ** p<0.05, * p<0.1.



Fig. 2: Classification of cities treatment status







Fig. 4: Treatment Effects of Individual LEZs Using Regional Approach

Note: Plots include 95% confidence intervals of treatment effects

Fig. 5: Change of Share of Green Sticker Vehicles 2008 to 2009 as Function of Distance of the County to LEZ (Privately owned Cars)



Fig. 6: Change of Share of no Sticker Vehicles 2008 to 2009 as Function of Distance of the County to LEZ (Privately owned Cars)



Fig. 7: Change of Share of Red Sticker Vehicles 2008 to 2009 as Function of Distance of the County to LEZ (Privately owned Cars)



Fig. 8: Change of Share of Yellow Sticker Vehicles 2008 to 2009 as Function of Distance of the County to LEZ (Privately owned Cars)

